



HOME

Combi 200
I Saw 215
I Saw 265

Universal 300
Profi 400
Profi 400 HD



Industrie 500
Industrie 500 HD
Industrie 500 HS

Industrie 500 DUO
Mammut 800
Mammut 830

I-SAW265



- "CE"-certified and "GS"-approved
(complies with European hygiene and safety regulations.)
- According the EEC Safety regulations
 - with 2 fixed wheels in stainless steel housing
 - with 2 in height adjustable machine feet.
 - Material pusher removable
- upper saw blade guidance adjustable in height.
- Motor stops automatically when opening the doors or covers.
- With maintenance free electronic brake motor.
- Band saw guidance exchangeable without use of tools.
- Gas damper provides always correct tension of blade.
- Blade guided in the wheels, therefore can not jump down from wheel.
- By additional grooves the crossing of teeth will be not effected by the wheels.

- Self-carrying frame, strong table, waste bin, portion-gauge in stainless steel inoxydable.
- Safety magnets in hygienic design.
- Control device for safety switches.
- Easy to maintain contactor box with standard parts.
- Large grip for ergonomic opening of doors
 - Voltage : 230/400 V / 50 cycles
 - Connection load : 1,1 kW
 - Revolutions : 1500 / min.
 - Dimensions table : 560 x 670 mm
 - Width of cutting : 200 mm
 - Height of cutting : 280 mm
 - Saw blade : 2135 x 16 x 0.6 mm
 - Housing : Stainless steel
 - Dimension : 560 x 670 x 1455 mm
 - Height of table : 871 mm

Netweight : 100 kg
Grossweight : 120 kg on pallett



Adresse:
C.-E. Reich GmbH
Oberer Wasen 13
D-73630 Remshalden

*

Heute ist Dienstag, der 25 März 2025, 15 Uhr 37

Kontakt:

Phone: +49-7151-79899

Fax: + 49-7151-74692

*

e-mail: cereich@cereich.de

Homepage: <https://www.cereich.info>

VAT Number: DE146624958

*



[Impressum](#) | [AGB](#) | [Widerrufsbelehrung und -formular](#) | [Liefer- und Zahlungsbedingungen](#) | [Datenschutz](#) | [Cookie-Richtlinie](#)
Copyright: C.-E. Reich GmbH